

iJF for food storage and display

iJF has been designed to be fitted on the best OEM units, offering a new platform with CAREL's historic know-how on electronic controllers. Design and aesthetic integration, highest performance and sturdiness, combined with a complete IoT offering, make iJF the best choice for the professional refrigeration sector.

New display, new technology

- Capacitive touch able to withstand the harshest conditions;
- Backlit buttons for maximum accessibility;
- Slim and elegant for perfect aesthetic integration.

iJF is the new CAREL control platform for food storage and display applications. It has been developed based on CAREL's extensive know-how in the refrigeration market, offering important technological evolutions to face the challenges of today and tomorrow.

Numerous options are available dedicated to energy efficiency and optimum food preservation, so as to reduce the environmental impact of the end applications.

Excellent usability and easy interaction thanks to built-in NFC and Bluetooth wireless technologies.



iJF is the ideal solution for display applications, such as pastry display cases. The modern design and colour customisation of the front panel ensure high levels of aesthetic integration with the overall unit.

Features such as humidity control or dimming of lights help maximise product presentation.



User experience

Improved user interface thanks to the use of specific apps for different types of users.



Energy efficiency

The ideal solution for reducing energy consumption, through management of variable-capacity compressors (VCC) and modulating loads.



Quick programming

Maximum flexibility on the production line using NFC technology and dedicated software tools.



High performance for the latest challenges in the refrigeration

IJF is the ideal solution for achieving the goals of energy efficiency and optimum

as modulating loads such as fans. It ensures better food preservation and presentation thanks to accurate control logic and the humidity management

With growing demand for connected solutions, iJF features an RS485 serial port to simplify connections on site much as possible.



Quick and easy adoption of VCC solutions



Control of modulating loads



Accurate humidity control



Direct BMS connection



The iJF range, used for professional refrigerators and freezers, as well as chef bases and undercounters, satisfies the needs for both food preservation and blast freezing.

In addition, iJF stands out for its elegant aesthetic integration possibilities.

Particular attention has also been paid to protection against liquids or dirt, typical of food environments.



Connectivity

Wireless connectivity, using NFC and Bluetooth technologies, revolutionises the way that users interact with the cabinets, simplifying the user experience.

The CAREL offering includes two mobile apps for the specific needs of different users: from service personnel to end users.



For service







CONTROLLA For end users



Available versions

Characteristics	small		large		
Model	Panel	Split	Panel	Split	
	938		- B	91	
	all-in-one	stand-alone operation or	all-in-one	stand-alone operation or combined	
		combined with small HMI		with small or large HMI	
Power supply	100-240 Vac				
Display	Up to 6 customisable	-	Up to 8 customisable	-	
	buttons		buttons		
Analogue inputs	up to 2 temperature probes		up to 3 temperature probes		
Digital inputs	1 multifunction temperature probe; 1 voltage-free contact				
Digital outputs	Up to 4 relays		Up to 6 relays		
Connectivity	NFC, Bluetooth, RS485				
Extra features	VCC serial				
(mutually exclusive)	Control of modulating loads				
	Humidity management				

Optional user interface for SPLIT versions

Characteristics	small	large		
Model	НМІ	HMI		
	988	1 93 0		
	display only			
Power supply	12 Vdc (supplied by the controller)			
Analogue inputs	-	1 temperature probe		
Digital inputs	1 multifunction probe	1 multifunction probe; 1 voltage-free contact		
Digital outputs		- -		
Connectivity	NFC and Bluetooth			

Headquarters

CAREL INDUSTRIES HQs Via dell'Industria, 11 35020 Brugine - Padova (Italy) carel@carel.com











HygroMatik GmbH

Lise-Meitner-Straße 3 24558 Henstedt-Ulzburg - Germany hy@hygromatik.de

RECUPERATOR

Via Valfurva 13 20027 Rescaldina (MI), Italy customercare@recuperator.eu

For more information

CAREL Asia - www.carel.hk

CAREL Australia - www.carel.com.au

 ${\sf CAREL\ Central\ \&\ Southern\ Europe-www.carel.com}$

CAREL Czech & Slovakia - www.carel.cz

CAREL spol. s.r.o.

 ${\sf CAREL\ Deutschland-www.carel.de}$

CAREL China - www.carel-china.com

CAREL France - www.carelfrance.fr

CAREL Korea - www.carel.kr
CAREL Ibérica - www.carel.es

CAREL Ireland - www.carel.ie

FarrahVale Controls & Electronics Ltd.

CAREL Italy - www.carel.it

CAREL India - www.carel.in

CAREL Japan - www.carel-japan.com

CAREL Mexicana - www.carel.mx

CAREL Middle East - www.carel.ae

CAREL Nordic - www.carelnordic.se

CAREL Poland - www.carel.pl

ALFACO POLSKA Sp z o.o.

CAREL Russia - www.carelrussia.com

CAREL South Africa - www.carel.com

CAREL Sud America - www.carel.com.br

 ${\sf CAREL\,Thailand-www.carel.co.th}$

CAREL Turkey - www.carel.com.tr

CFM Sogutma ve Otomasyon San. Tic. Ltd.

CAREL U.K. - www.careluk.com

CAREL U.S.A. - www.carelusa.com

CAREL Ukraina - www.carel.ua

CAREL Canada - www.enersol.ca

Enersol Inc.



To the best of CAREL INDUSTRIES S.p.A. knowledge and belief, the information contained herein is accurate and reliable as of the date of publication. However, CAREL INDUSTRIES S.p.A. does not assume any liability whatsoever for the accuracy and completeness of the information presented without guarantee or responsibility of any kind and makes no representation or warranty, either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein and is responsible for the appropriate, safe and legal use, processing and handling of CAREL's products. The Information provided herein does not relieve the user from the responsibility of carrying out its own tests, and the user